AMENDMENT TO THE ABSTRACT:

Please amend the Abstract as follows:

~~The invention relates to a thermal liquid concentrate containing a glycol and: a) 0.05 to 10 percent by weight, preferably 0.1 to 5 percent by weight, of one or several aliphatic amines of general formula (I), wherein R^1 to R^3 can be identical or different and represent hydrogen, optionally branched C_1-C_8 alkyl, or C_1-C_8 hydroxyalkyl; b) 0.005 to 3 percent by weight, preferably 0.01 to 1 percent by weight, of one or several optionally stabilized silicates; c) 0 to 3 percent by weight of one or several corrosion inhibitors selected among the group comprising hydrocarbon triazoles and hydrocarbon thiazoles; d) 0 to 5 percent by weight of one or several alkali metal molybdates, ammonium molybdates, or substituted ammonium molybdates; and e) 0 to 1 percent by weight of one or several polymeric hard water stabilizers. The inventive~~ Borate-free glycol-based concentrates are particularly suitable for use in solar plants in which a heat transfer ~~systems after being optionally diluted with water, thermal~~ liquid is ~~being~~ in direct contact with the glass of the solar ~~system~~ plants.